Project Report PCA-IRT-1

Preliminary Design Review: PCA Integrated Radar-Tracker Application

J.M. Lebak

9 April 2002 Issued 6 February 2004

Lincoln Laboratory

MASSACHUSETTS INSTITUTE OF TECHNOLOGY

LEXINGTON, MASSACHUSETTS



Prepared for the Defense Advanced Research Projects Agency under Air Force Contract F19628-00-C-0002.

Approved for public release; distribution is unlimited.

20040213 171

This report is based on studies performed at Lincoln Laboratory, a center for research operated by Massachusetts Institute of Technology. This work was sponsored by DARPA/ITO under Air Force Contract F19628-00-C-0002.

This report may be reproduced to satisfy needs of U.S. Government agencies.

The ESC Public Affairs Office has reviewed this report, and it is releasable to the National Technical Information Service, where it will be available to the general public, including foreign nationals.

This technical report has been reviewed and is approved for publication.

FOR THE COMMANDER

Gary Tutungian

Administrative Contracting Officer Plans and Programs Directorate

Contracted Support Management

Non-Lincoln Recipients

PLEASE DO NOT RETURN

Permission is given to destroy this document when it is no longer needed.

Massachusetts Institue of Technology Lincoln Laboratory

Preliminary Design Review: PCA Integrated Radar-Tracker Application

J.M. Lebak Group 102

Project Report PCA-IRT-1

9 April 2002 Issued 6 February 2004

Approved for public release; distribution is unlimited.

Lexington

ABSTRACT

The DARPA Polymorphous Computing Architecture (PCA) program is building advanced computer architectures that can reorganize their computation and communication structure to achieve better overall application performance. As part of the PCA program, MIT Lincoln Laboratory has been requested to provide examples of defense-oriented applications that will challenge the candidate architectures.

This report presents a high-level description of an example application involving a ground moving target indicator (GMTI) radar application and a feature-aided tracker application that work together.

TABLE OF CONTENTS

		Page
	Abstract	i
1.	INTRODUCTION	1
	1.1 General Description	1
	Acronyms References	3

1. INTRODUCTION

The DARPA Polymorphous Computing Architecture (PCA) program is building advanced computer architectures that can reorganize their computation and communication structure to achieve better overall application performance. This reorganization is known as *morphing*. As part of the PCA program, Lincoln Laboratory has been requested to provide examples of defense-oriented applications that will challenge the candidate architectures. This report presents a ground moving target indicator (GMTI) radar application: this application was chosen because of its use of standard signal processing functions and linear algebra operations. We have also identified feature-aided tracking (FAT [2]) as a good application to present to the community because of its high performance requirements, its use of database operations, and its emphasis on thread-based as opposed to stream-based operations.

Our goal is to provide to the community a single Matlab program that integrates a moving target indicator (MTI) radar and a tracker. This will allow the teams building hardware to verify their application code and to have an "executable specification" for testing purposes. This report describes the high-level operation of the integrated radar-tracker in greater detail. Other documents ([1],[3]) describe the operation of the components of this application.

1.1 GENERAL DESCRIPTION

The two major components of the integrated radar-tracker are GMTI processing and feature-aided tracking. A block diagram of the components, indicating the data that flows between them, is shown in Figure 1.

Note that the GMTI system produces two types of data, GMTI output data (labelled "1" in Figure 1) and high range resolution (HRR) profiles (labelled "3" in Figure 1). The primary function of GMTI processing is to process wideband sensor data to detect moving targets on the ground. Detections are performed and object centers are identified (this is referred to as detection "clustering"). An HRR profile is a set of wideband data extracted from around the defined center of an object. The characteristics of the HRR profile can then be used by the FAT to distinguish among different targets and perform target classification.

GMTI processing operates, essentially, on "snapshots" of data from the sensor, and produces target reports and HRR profiles for a particular instant of time. The task of integrating successive snapshots together is performed by the tracker. A typical kinematic tracker uses models of target motion to determine which objects detected at one instant are physically the same as the objects at the next instant. The feature-aided tracker implemented here adds to this process by using the HRR profile of the target to aid the target-track association process. It matches the HRR profile against the previous values and, if possible, classifies the target and match against the previous classification.




Figure 1. Block diagram of integrated radar-tracker application.

There are many opportunities for parallelism in the implementation of these tasks. In a typical embedded signal processor, one would expect that the GMTI and FAT blocks would run in a task-parallel fashion. In the Matlab implementation, the tasks are treated as a single serial data flow because of the limitations of the language.

ACRONYMS

FAT — Feature-Aided Tracking

GMTI — Ground Moving Target Indicator

HRR — High Range Resolution

MTI — Moving Target Indicator

PCA — Polymorphous Computer Architecture

PDR — Preliminary Design Review

REFERENCES

- [1] William G. Coate, "Preliminary Design Review: Kinematic Tracking for the PCA Integrated Radar-Tracking Application," MIT Lincoln Laboratory Project Report PCA-IRT-4, 25 February 2003, issued 6 February 2004.
- [2] Duy Nguyen, John Kay, Bradley Orchard, and Robert Whiting, "Classification and Tracking of Moving Ground Vehicles," MIT Lincoln Laboratory Journal, Volume 13, Number 2, 2002.
- [3] Albert I. Reuther, "Preliminary Design Review: GMTI Processing for the PCA Integrated Radar-Tracker Application," MIT Lincoln Laboratory Project Report PCA-IRT-2, 8 April 2002, issued 6 February 2004.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington D.C. 20503

1. AGENCY USE ONLY (Leave blank	2. REPORT DATE 9 April 2002	3. REPORT TYPE AND Project Report	DATES COVERED
4. TITLE AND SUBTITLE			5. FUNDING NUMBERS
Preliminary Design Review: PCA	Integrated Radar-Tracker Applic	ation	
6. AUTHOR(S)			C — F19628-00-C-0002
J.M. Lebak			
July Desuit			
7. PERFORMING ORGANIZATION N	JAME(S) AND ADDRESS(ES)		B. PERFORMING ORGANIZATION
	(0)		REPORT NUMBER
Lincoln Laboratory, MIT			
244 Wood Street Lexington, MA 02420-9108		PR-PCA-IRT-1	
Loanigion, M21 02 120 9100			
9. SPONSORING/MONITORING AGI	ENCY NAME(S) AND ADDRESS(ES	G) .	IO. SPONSORING/MONITORING
DARPA/ITO		·	AGENCY REPORT NUMBER
3701 Fairfax Drive			TIGG (TID 2009 070
Arlington, VA 22203-1714			ESC-TR-2003-069
11.SUPPLEMENTARY NOTES			
12a. DISTRIBUTION/AVAILABILITY	STATEMENT		2b. DISTRIBUTION CODE
Approved for public release; distri	ibution is unlimited.		
13. ABSTRACT (Maximum 200 word	(c)		
· ·	3)		
mi DADDA D.I		(DCA) :- h	ilding advanced computer
	hous Computing Architecture		
architectures that can reorga	hous Computing Architecture	communication structur	e to achieve better overall
	hous Computing Architecture anize their computation and co part of the PCA program, MIT	communication structur Lincoln Laboratory has	e to achieve better overall s been requested to provide
architectures that can reorga application performance. As p examples of defense-oriented a	hous Computing Architecture anize their computation and co part of the PCA program, MIT applications that will challenge	communication structur Lincoln Laboratory has the candidate architect	e to achieve better overall been requested to provide ures.
architectures that can reorga application performance. As p examples of defense-oriented a This report presents a h	hous Computing Architecture inize their computation and co part of the PCA program, MIT applications that will challenge igh-level description of an exa	communication structur Lincoln Laboratory has the candidate architect mple application involve	e to achieve better overall been requested to provide ures.
architectures that can reorga application performance. As p examples of defense-oriented a	hous Computing Architecture inize their computation and co part of the PCA program, MIT applications that will challenge igh-level description of an exa	communication structur Lincoln Laboratory has the candidate architect mple application involve	e to achieve better overall been requested to provide ures.
architectures that can reorga application performance. As p examples of defense-oriented a This report presents a h	hous Computing Architecture inize their computation and co part of the PCA program, MIT applications that will challenge igh-level description of an exa	communication structur Lincoln Laboratory has the candidate architect mple application involve	e to achieve better overall been requested to provide ures.
architectures that can reorga application performance. As p examples of defense-oriented a This report presents a h	hous Computing Architecture inize their computation and co part of the PCA program, MIT applications that will challenge igh-level description of an exa	communication structur Lincoln Laboratory has the candidate architect mple application involve	e to achieve better overall been requested to provide ures.
architectures that can reorga application performance. As p examples of defense-oriented a This report presents a h	hous Computing Architecture inize their computation and co part of the PCA program, MIT applications that will challenge igh-level description of an exa	communication structur Lincoln Laboratory has the candidate architect mple application involve	e to achieve better overall been requested to provide ures.
architectures that can reorga application performance. As p examples of defense-oriented a This report presents a h	hous Computing Architecture inize their computation and co part of the PCA program, MIT applications that will challenge igh-level description of an exa	communication structur Lincoln Laboratory has the candidate architect mple application involve	e to achieve better overall been requested to provide ures.
architectures that can reorga application performance. As p examples of defense-oriented a This report presents a h	hous Computing Architecture inize their computation and co part of the PCA program, MIT applications that will challenge igh-level description of an exa	communication structur Lincoln Laboratory has the candidate architect mple application involve	e to achieve better overall been requested to provide ures.
architectures that can reorga application performance. As p examples of defense-oriented a This report presents a h	hous Computing Architecture inize their computation and co part of the PCA program, MIT applications that will challenge igh-level description of an exa	communication structur Lincoln Laboratory has the candidate architect mple application involve	e to achieve better overall been requested to provide ures.
architectures that can reorga application performance. As p examples of defense-oriented a This report presents a h indicator (GMTI) radar applic	hous Computing Architecture inize their computation and co part of the PCA program, MIT applications that will challenge igh-level description of an exa	communication structur Lincoln Laboratory has the candidate architect mple application involve	e to achieve better overall been requested to provide ures. ing a ground moving target rk together.
architectures that can reorga application performance. As personal examples of defense-oriented at This report presents a hindicator (GMTI) radar application application (GMTI) radar application application (GMTI) radar application ap	hous Computing Architecture inize their computation and co part of the PCA program, MIT applications that will challenge igh-level description of an exa	communication structure Lincoln Laboratory has the candidate architect mple application involved application that wo	e to achieve better overall s been requested to provide ures. ing a ground moving target rk together. 15. NUMBER OF PAGES 7 16. PRICE CODE CATION 20. LIMITATION OF
architectures that can reorga application performance. As personal examples of defense-oriented at This report presents a hindicator (GMTI) radar application application (GMTI) radar application application (GMTI) radar application ap	hous Computing Architecture inize their computation and co part of the PCA program, MIT applications that will challenge igh-level description of an exa cation and a feature-aided trace	communication structured Lincoln Laboratory has the candidate architect mple application involved application that wo	e to achieve better overall been requested to provide ures. ing a ground moving target rk together. 15. NUMBER OF PAGES 7 16. PRICE CODE